

NO CONSTRUCTION SHALL START PRIOR TO ACQUIRING YOUR PERMITS!!

In order to speed up the approval process, please ensure you have done the following:

1. Meet the Zoning Requirements of the Municipality
 - Determine the zoning in the area that you intend to build. A building permit will not be issued unless a Development Permit has been issued by the municipality.
 - Ensure you comply with the zoning requirements, including setback requirements.
 - Complete the Application for Development Permit and submit to the RM of Big River No. 555 along with the Development Permit Fee (Permitted Use \$50.00, Discretionary Use \$200.00).
2. Complete and Submit the Application for Building Permit
 - Complete the Application for Building Permit.
 - Submit the completed application form along with 1 complete set of plans to the RM office.
 - The application will be forwarded to BuildTECH Consulting & Inspections Inc., the municipality's building inspector, for approval.
 - When the municipality receives approval and confirmation of completed building value from the building official, you will be invoiced for the costs. Permits will be issued when payment is received.

If you have any questions please call our office at (306) 469-2323 or email us at rm555@rmofbigriver.ca.

Section 7 (1) Uniform Building and Accessibility Standards Act(...the owner of each building in Saskatchewan shall ensure that the building is designed, constructed, erected, placed, altered, repaired, renovated, demolished, relocated, removed, used or occupied in accordance with the building standards.”

If you have any questions related to building standards, please call BuildTECH Consulting at (306) 370-2824 or email to inspection@btinspections.ca.

NOTE: No accessory building (garage or shed, etc) may be built prior to the dwelling being built.

Instructions on completing Building & Development Application Package:

- Must be completed and submitted to the RM, along with a site plan and Development Permit Application Fee of \$50.00 for a permitted use or \$200.00 for a discretionary use.
- Section 5 of the Development Permit Application should be left blank and will be completed from maps at the RM office when the permit is submitted.
- Site plan must be completed with all set backs clearly marked from building to all 4 property lines, north direction, all accessory buildings and drainage direction.

Application for Building Permit

- Must be completed and submitted to the RM, along with all required drawings, information and forms included with the Permit Application Checklist from BuildTECH Consulting & Inspections Inc.

Permit Application Checklist – BuildTECH

- BuildTECH supplies these forms that must be completed before the permit will be approved. Once approved by BuildTECH the invoice will be emailed.
- To speed up the approval process ensure all forms are completed before returning.

Application for a Permit to Demolish or Move a Building

- Must be completed and submitted to the RM for any building to be moved into or out of the municipality. There is no charge for a moving permit. The RM must be informed when the moving of the building is complete.
- Must be completed and submitted to the RM for any building to be demolished within the municipality, along with the Demolition Permit Fee of \$50.00. The RM must be informed when the demolition is complete. RM will inform SAMA of the removal of building so they property can be re assessed.

Rural Plumbing/Sewage Disposal Permit Application - Submit to Regional Health Authority

- Must be completed and submitted to Regional Health Authority - Health Inspection office to apply for a plumbing/sewage disposal permit. Please deposit a copy of your Valid Sewage Disposal Permit to the RM Office as soon as you receive it.
- *The RM must have a copy prior to any permits being issued.*

**All documents must be submitted together and fully completed. If
not the approval process will take much longer.**

E-transfer: payments@rmofbigriver.ca
Cheque, cash or debit.

Rural Municipality of Big River No. 555

DEVELOPMENT PERMIT APPLICATION

Applicants are encouraged to check the regulations in the RM of Big River No. 555 Zoning Bylaw, 23-01-02 that governs the type of development proposed prior to completing the application. Fill out only those sections of the application which are relevant to your proposal. Attach additional sheets if necessary.

1 Applicant Information

Full Name _____
Address _____

Phone _____
Email _____

2 Registered Owner Information (if different from applicant)

Full Name _____
Address _____

Phone _____
Email _____

3 Property Information (include any applicable)

Subdivision _____ Lot _____ Block _____ Plan No. _____
Part _____ Section _____ Township _____ Range _____ W3rd
e.g. NE 27-56-07

4 Proposed Development Information

a) Existing use of land and/or buildings: _____

EXISTING SIZE: _____

b) Proposed use of land and/or buildings: _____

PROPOSED SIZE: _____

c) Proposed construction and alteration of buildings: _____

d) List any adjacent or nearby land uses: _____

e) Any additional information which may be relevant: _____

f) Proposed date of start: _____ g) Proposed date of completion: _____

5 Potential Development Constraints

RM OFFICE USE ONLY

FOR RM USE ONLY: Consult the RM of Big River No. 555 Official Community Plan Bylaw, No. 1/16, Maps 1 through 5 and indicate with ☐ whether the proposed development site is located **within** any of the following areas:

Map 1 – Preferred Transportation Corridors

Preferred transportation corridor ☐

Map 2 – Soil Capability for Agriculture

High capability (green) ☐

Moderate capability (yellow) ☐

Low capability (red) ☐

Organic (brown) ☐

Map 3 – Separation Distances Required by a Potential ILO (FOR ILO APPLICATIONS ONLY)

No ILOs Permitted ☐

ILOs up to 499 Animal Units ☐

ILOs up to 2,000 Animal Units ☐

ILOs > 2,000 Animal Units ☐

Map 4 – Development Constraints

Terrestrial wildlife habitat ☐

Wetland ☐

1 km rural-urban fringe ☐

Future urban growth area ☐

457 m lagoon setback ☐

First Nations reserve ☐

Provincial parks & recreation sites ☐

Resort / country residential subdivision ☐

Recreation development ☐

Map 5 – Digital Elevation Model

Approx. elevation between 462–554 (blue–cyan) ☐

Approx. elevation between 554–645 (yellow–red) ☐

6 Site Plan / Vicinity Map

On the last page of this development permit application, show a Site Plan / Vicinity Map of the proposed development that shows:

- a) dimensions of the site
- b) location and size of all existing and proposed buildings and structures
- c) utility lines, easements, or topographic features
- d) proposed location of sewage system and water supply
- e) access points to provincial highway or municipal road
- f) **FOR ILOs ONLY:** the location, distance, and direction to neighbouring sites/dwellings

7 Application Fees

As per the RM of Big River Zoning Bylaw No. 1/19, the applicable fees for a development permit are as follows:

- a) Development Permit: \$50.00
- b) Building Permit BuildTECH: Determined by sq. ft./Inspection
- c) Building Permit RM Office: Determined by sq. ft./Office Fee
- d) Discretionary Permit: \$200.00

These fees are in addition to any fees relating to a zoning amendment. **Please contact the RM office for the amount to submit.**

8 Declaration of Applicant

I, _____ of the _____ in the Province of _____ solemnly declare that the above statements contained within this application are true, and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath, and by virtue of the Canada Evidence Act. I have no objection to the entry upon the land described herein by the person(s) authorized by the Rural Municipality of Big River No. 555 for the purpose of site inspections required for reviewing this application.

I understand the information provided in this application will be shared with Saskatchewan Assessment Management Agency (SAMA).


Signature of Applicant

Date

RURAL MUNICIPALITY of BIG RIVER No. 555

— SASKATCHEWAN —

SITE PLAN / VICINITY MAP



Additional Information

Please reference which section the additional information is referring too.

[illegible]

I hereby make application for a permit to _____ Construct
_____ Alter
_____ Reconstruct

A building according to the information below and to the plans and documents attached to this application.

Legal land description:

Subdivision _____ Lot _____ Block _____ Plan No. _____

Part _____ Section _____ Township _____ Range _____ W3rd
e.g. NE 27-56-07

Owner _____	Email _____	Telephone _____
Engineer _____	Email _____	Telephone _____
Contractor _____	Email _____	Telephone _____

Square footage of building _____

- Accessory buildings shall not be constructed or placed on any site prior to the construction of the principal building.
- Building permit must be completed and submitted to the RM, along with all required drawings, information and forms included. You will be invoiced for the building permit once the permit has been approved and prior to the issuing of the permits.
- I hereby acknowledge that I understand that permission to begin building is not granted to me until a Building Permit (Form B to Bylaw 17/19), signed by the Building Official or Administrator, and is returned to me.
- I hereby agree to comply with the Building Bylaw of the local authority and acknowledge that it is my responsibility to ensure compliance with the Building Bylaw of the local authority and with any other applicable bylaws, acts and regulations regardless of any plan review or inspections that may or may not be carried out by the local authority or its authorized representative.
- I hereby acknowledge that I have read this application and certify that the information contained herein is correct.

Date

Signature of Owner or Owner's Agent

**BuildTECH****Consulting & Inspections Inc.**

Building & Fire Code Consulting & Inspections

p: 306.370.2824

f: 306.978.3014

e: info@btinspections.ca

Box 1612 . Martensville, SK . S0K 2T0

www.buildtechinspections.ca

Permit Application Checklist – READY-TO-MOVE HOMES (RTM)

Home Owner/Builders: The following information is required when submitting an application for a residential building permit and before a building permit is issued. The plan review will not begin until all required information is provided.

APPLYING FOR A BUILDING PERMIT DOES NOT EQUATE TO PERMISSION TO START CONSTRUCTION – BUILDING PERMITS WILL BE ISSUED BY THE MUNICIPALITY ONCE ALL ZONING AND BUILDING APPROVALS ARE COMPLETE.

Please read BT Bulletin, “Manufactured Home Definitions” for additional information and clarification on how the National Building Code applies to this project.

Required Information:

A complete set of plans are required to be submitted, and shall include the following:

- **Site Plan** with the following information:
 - Show size and location of proposed house, size and location of existing buildings on property, lot dimensions and shape, distance between buildings and property lines, and include a North direction arrow.
- **Complete House Plans include:**
 - Floor plans including exterior and interior wall locations / room sizes and overall dimensions / room use
 - Stair locations and dimensions (cross sections)
 - Window and door sizes, locations, and type (U-value)
 - HVAC unit/system location
 - Smoke alarm / CO alarm locations and interconnection
 - Foundation details including type (i.e. concrete, ICF, PWF, etc) and all structural components and details
 - Roof detail (engineer truss design and layout, roof rafters)
 - Floor detail (joist type, size, spacing and layout, beam sizes and posts, etc)
 - Any “Tall Wall” design details; note substantial “Tall Walls” will require professional design and engineered sealed drawings
- **RTM Approval Documentation:**
 - Documentation to demonstrate that the RTM Home was constructed at a CSA approved facility, or
 - Inspection reports demonstrating the RTM Home was inspected at the framing stage, and insulation / poly stage by a Class 1 (or higher) Building Official.
- **Addition Required Documentation:**
 - Energy Efficiency Compliance Form – this will require assistance from the house design professional
 - Ventilation System Design Form – your HVAC contractor will need to fill this out

When is an Engineer Required?

- Professionally designed sealed engineer drawings are required for the following conditions:
 - Grade beam and pile foundation supporting living space
 - Shallow garage footing foundation supporting living space
 - Walk-out foundations
 - When set out by recommendations of a geo-technical investigation
 - Substantial “Tall Wall” systems (i.e. studs full height of 2-storeys)

Required On-Site Inspections: (inspection requirements may change depending on the project type and size)

- Pre-backfill / Foundation; an inspection prior to backfill is generally the first inspection, however, certain situations may require inspection of rebar prior to concrete or footing arrangement.
- Final; house is ready for occupancy with all health and life-safety systems operating.

Application:

As per Article 9.36.1.3 of NBC 2015, the code applies to the design and construction of all *buildings* and *additions* including:

- *Buildings* of *residential occupancy* to which Part 9 applies.
- *Buildings* containing *business and personal services, mercantile or low hazard industrial* occupancies to which Part 9 applies to whose combined floor area does not exceed 300 m², excluding parking garages serving residential occupancies.
- *Buildings* containing any mixture of the above two.

Energy Performance compliance applies only to:

- Houses with or without a secondary suite.
- Buildings containing only dwelling units and common spaces whose floor area does not exceed 20% of the floor area of the building.

Notes:

At this time Section 9.36 of the NBC is being applied to *New Buildings* and *Additions* while we develop the energy efficiency requirements to alterations and renovations. As such, this form is currently required for *New Buildings* and *Additions* only.

Definitions:

***Competent person** is defined as a person who is familiar and fluent with building design under Section 9.36 of the NBC and acceptable to the Authority Having Jurisdiction.

***New Building, for ground oriented dwelling units**, means the initial construction and footprint of the base building.

***New Building, for other project types**, means the base building and the initial tenant development / fitout.

***Addition** means any conditioned space that is added to an existing building that increases the building footprint and / or the above grade floor area.

This form clarifies the design direction chosen for new buildings* and additions* to comply with Section 9.36 of the current National Building Code of Canada (NBC).

All calculations are required to be completed by a *competent person** and attached to this form to be accepted for review.

Section A: Prescriptive
Conversions:

$$R = 5.678 \times RSI$$

$$U = 1 / RSI$$

Project Information

Project Address _____		BPA Number (Office use only) _____
Occupancy Class: _____	Floor Area (m ²): _____	Climate Zone: _____ 7A
Design Option: <input type="checkbox"/> Prescriptive (See Section A) <input type="checkbox"/> Trade-Off (See Section B) <input type="checkbox"/> Performance (See Section C)		

HRV / ERV: Yes ☐ No ☐

Effective Thermal Resistance of Above Ground Opaque Building Assemblies (RSI)

Assembly	w/ HRV	w/o HRV	Proposed	Office Use
Ceilings below attics	8.67	10.43		
Cathedral / Flat roofs	5.02	5.02		
Walls & Rim joists	2.97	3.08		
Floors over unheated spaces	5.02			
Floors over garage	4.86			

Thermal Characteristics of Fenestration, Doors and Skylights (U)

Assembly	Efficiency	Proposed	Office Use
Windows & Doors	Maximum U-Value 1.60 or Minimum Energy Rating ≥ 25		
One door exception	Maximum U-Value 2.60		
Attic hatch	Maximum U-Value 0.38		
Skylights	Maximum U-Value 2.70		

Effective Thermal Resistance of Below-Grade or In-Contact-With-Ground Opaque Buildings Assemblies (RSI)

Assembly	w/ HRV	w/o HRV	Proposed	Office Use
Foundation Walls	2.98	3.46		
Slab On Grade With Integral Footing	2.84	3.72		
Unheated floors: (does not apply to crawl spaces)				
Below Frost Line	uninsulated	uninsulated		
Above Frost Line	1.96	1.96		
Heated Floors	2.84	2.84		

Calculations of RSI_{eff} for the above assemblies are required to be submitted.

HVAC Equipment Performance Requirements					
Equipment	Capacity KW	Standard	Min. Efficiency	Proposed	Office Use
Gas Fired Furnace w or w/o A/C	≤ 65.9	CSA P.2	AFUE $\geq 92\%$		
	> 65.9 & ≤ 117.23	CAN/CSA-P.8	$E_t \geq 78.5\%$		
Electric Boiler	≤ 88	(1)			
Gas Fired Boiler	≤ 88	CSA P.2	AFUE $\geq 90\%$		
	> 88 & ≤ 117.23	AHRI BTS	$E_t \geq 83\%$		
Other					
Heat Loss / Gain Calculations	Calculations were prepared in conformance with CSA 280			Yes / No BTU:	
Nomenclature	AFUE= annual fuel utilization efficiency, E_t = thermal efficiency				
Water Heaters Performance Requirements					
Equipment	Capacity KW	Standard	Min. Efficiency	Proposed	Office Use
Tank Storage Electric	≤ 12 kW (50 L to 270 L capacity)	CAN/CSA-C191	$SL \leq 35 + 0.20V$ (top inlet)		
			$SL \leq 40 + 0.20V$ (bottom inlet)		
	≤ 12 kW (> 270 L and ≤ 454 L capacity)		$SL \leq (0.472V) - 38.5$ (top inlet)		
			$SL \leq (0.472V) - 33.5$ (bottom inlet)		
	> 12 kW (> 75 L capacity)	ANSI Z21.10.3/CSA 4.3 & DOE 10 CFR, Part 431, Subpart G	$S = 0.30 + 27 / V_m$		
Tank Storage Gas Fired	< 22 kW	CAN/CSA-P.3	$EF \geq 0.67 - 0.0005V$		
	≥ 22 kW	ANSI Z21.10.3/CSA 4.3	$E_t \geq 80\%$ and standby loss \leq rated Input / $(800 + 16.57)(\sqrt{V})$		
Tankless Gas Fired	≤ 73.2 kW	CAN/CSA-P.7	$EF \geq 0.8$		
	> 73.2 kW	ANSI Z21.10.3/CSA 4.3 and DOE 10CFR, Part 431, Subpart G	$E_t \geq 80\%$		
Tankless Electric	No standard addresses the performance efficiency; however, their efficiency typically approaches 100%				
Other					
Nomenclature	EF = energy factor in %/h, E_t = thermal efficiency S = standby loss in %h, SL = standby loss in W, V = volume V_m = measured storage volume in US gallons				

(1) Must be equipped with automatic water temperature control. No standard addresses the performance efficiency; however their efficiency typically approaches 100%

Section B: Trade Off

To be completed and submitted for review by a *competent person**

- ☐ Opaque to opaque – One or more above-ground opaque building envelope assemblies are permitted to be less than required, provided one or more above-ground opaque building envelope assemblies are increased to more than required.
 - Walls and joist type roofs must maintain minimum 55% of the required RSI_{eff}
 - All other assemblies must be minimum 60% of the required RSI_{eff}
 - The sum of the areas of all traded assemblies divided by their RSI_{eff} must be less than or equal to what it would have been if all assemblies had met 9.36.2.6
- ☐ Transparent to transparent – One or more windows are permitted to be less than required, provided one or more windows are increased to be more than required.
 - The traded windows must have the same orientation.
 - The sum of the areas of all traded windows divided by their RSI_{eff} must be less than or equal to what it would have been if all windows had met 9.36.2.7
- ☐ Opaque to transparent – This option is meant to allow reduced insulation for factory-constructed buildings with a low floor to ceiling height and a fenestration and door area to gross wall area ratio of 15% or less.

All calculations are required to be attached to this form to be considered complete and be accepted for review. The location and extent of assemblies used in the calculation shall be clearly identified on the drawings by hatch.

Section C: Performance

This option is available only to houses with or without secondary suites, and buildings that contain only dwelling units with common spaces that are less than 20% of the building's total floor area.

To be completed and submitted for review by a *competent person**

Input parameters		Reference Model	Proposed Model
Airtightness (air exchanges per hour @ 50 Pa)			
Thermal mass ($MJ/m^2 \cdot ^\circ C$)			
Ventilation rate (l/s)			
HRV Efficiency			
Fenestration and door to wall ratio (FDWR) – reference (%)			
Direction of front elevation (clearly circle one)			N NE E SE S SW W NW
Area of windows and doors	Front elevation (m^2)		
	Rear elevation (m^2)		
	Left elevation (m^2)		
	Right elevation (m^2)		
	Total area of windows (m^2)		
	Total area of opaque doors (m^2)		
Energy use (GJ)			
Software title		Version	
Is software ANSI/ASHRAE 140 compliant or Hot 2000?		Yes / No	

Declaration

I hereby certify that the calculations submitted were prepared in full accordance with Subsection 9.36.5 of the 2015 NBC or the Energuide Rating System and the operation procedures of the software.

Print Name

Business Name

Address

Email

Phone Number

Signature

Date

The full modelling report generated by an ANSI/ASHRAE 140 compliant software package or Hot 2000 software is required to be submitted.